

Europeana Semantic Elements specifications

Version 3.2, 07/08/2009

Europeana v1.0



co-funded by the European Union

The project is co-funded by the European Union, through the **eContent***plus* programme http://ec.europa.eu/econtentplus



Table of Contents

Acknowledgements	2
1. Foreword	3
2. Europeana Semantic Elements (ESE)	3
2.1 The elements	3
2.2 XML attributes	4
3. Introduction to the descriptions and to Europeana usage of the elements	4
4. Definitions for the ESE elements	5
5. Document history2	8

Acknowledgements

Thanks are due to the following for their expert contribution of this document.

Robina Clayphan Makx Dekkers Kate Fernie Stefan Gradmann Catherine Lupovici Carlo Meghini Go Sugimoto Julie Verleyen



1. Foreword

This document provides the specification of the Europeana Semantic Elements, including their properties, XML syntax, usage in the Europeana portal, obligation, occurrence and examples. The Europeana Semantic Elements are used in the Prototype portal, which was launched on 20 November 2008 at <u>http://www.europeana.eu/</u>.

2. Europeana Semantic Elements (ESE)

2.1 The elements

The Europeana Semantic Elements (the ESE), consist of the Dublin Core (DC) metadata elements, a subset of the DC terms (defined at http://dublincore.org/documents/dcmi-terms/) and a set of twelve elements which were created to meet Europeana's needs. The elements in the ESE are as follows:

Source	Element	Element Refinement(s)
DC	<u>title</u>	alternative
DC	creator	
DC	subject	
DC	description	tableOfContents
DC	publisher	
DC	contributor	
DC	date	created; issued
DC	<u>type</u>	
DC	format	extent; medium
DC	identifier	
DC	source	
DC	language	
DC	<u>relation</u>	isVersionOf; hasVersion; isReplacedBy; replaces; isRequiredBy; requires; isPartOf; hasPart; isReferencedBy; references; isFormatOf; hasFormat; conformsTo
Europeana		isShownBy; isShownAt
DC	<u>coverage</u>	spatial; temporal
DC	rights	
DC terms	provenance	
Europeana	<u>userTag</u>	
Europeana	<u>unstored</u>	
Europeana	object	
Europeana	language	
Europeana	provider	
Europeana	<u>type</u>	
Europeana	<u>uri</u>	
Europeana	<u>year</u>	



Europeana	hasObject	
Europeana	<u>country</u>	

Please note that the dc and europeana namespaces both have "Type" and "Language" elements, these have different uses which are explained in the specifications below.

2.2 XML attributes

The ESE XML Schema¹ extends the DC XML Schema by adding elements from the Europeana namespace. Currently the Europeana namespace does not define any attribute. Therefore the only attributes allowed by the XML Schema for the ESE elements set of the XML instance documents are the attributes xml:lang (defined by DC XML Schema) and xsi:type of the DC elements.

3. Introduction to the descriptions and to Europeana usage of the elements

Each element in the ESE is described as follows:

Element Name:	The formal name for	r the element.					
Namespace:	The namespace or t	he source of the element: dc, dcterms or					
	europeana. More in	formation on the dc metadata terms can be found					
	at http://dublincore.org/documents/dcmi-terms/.						
URI:	The Uniform Resour	rce Identifier used to uniquely identify the element.					
Label:	The human readable	e label assigned to the element.					
Definition:	A definition of the el	ement based on the DC definition for the term					
	where applicable.						
Europeana	A note providing info	ormation relating to the usage of the element in					
note:	Europeana prototyp						
Obligation &		requirement or obligation for the element to be					
Occurrence:	•	irrence (how often the element may be repeated)					
	in the metadata.						
Europeana	Simple search:	All of the elements are used for the simple search					
search and		function.					
display	Facet:	Indicates if an element is used for the refined					
features		search function and in which of the facets: Date,					
		Type, Provider, Country, and Language.					
	Timeline:	Indicates if an element is used in the Timeline					
		browse function					
	Advanced	Indicates which index an element is used in for					
	search:	the advanced search function: Title, Creator, Date					
		and Subject.					
	Full search	Indicates if the element's content is included in					
	result display:	the Europeana digital object full search result					
		display					
Example	An example of the x	ml syntax is provided.					

¹ <u>http://www.europeana.eu/schemas/ese/ESE-V3.2.xsd</u>



4. Definitions for the ESE elements

This section lists the ESE elements in alphabetical order and describes their attributes.

Please note that the "Type" and "Language" elements occur in both the **dc** and the **europeana** namespaces; these elements have different uses in the two namespaces. In the tables below, you will find "Type" and "Language" are listed twice, once in each namespace, to describe their different uses.

Element name	Element name: alternative							
Namespace	dcterms	dcterms						
URI	http://purl.org	/dc/terms/alt	ernative					
Label	Alternative T	itle						
Definition	An alternative name for the resource. This can be any form of the title that is used as a substitute or an alternative to the formal title of the resource including abbreviations or translations of the title. Refinement of <dc:title></dc:title>							
Europeana	Any alternati	ve title by wh	ich the origin	al analog or l	born digital object is			
note	known. This	can include a	abbreviations	or translation	ns of the title.			
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)							
Europeana	Simple	Facet	Timeline	Advanced	Full search			
search and	search			search	result display			
display	Х			Х	Х			
features				Title	(Title Line)			
Example		<pre><dcterms:alternative>Ocho semanas</dcterms:alternative> (When <dc:title>Eight weeks</dc:title>)</pre>						

Element name	Element name: conformsTo						
Namespace	dcterms						
URI	http://purl.org	/dc/terms/co	nformsTo				
Label	Conforms To)					
Definition		An established standard to which the described resource conforms. Refinement of < <u>dc:relation</u> >.					
Europeana note		The names of standards that the digital object (digitized or born digital) complies with and which are useful for the use of the object.					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)						
Europeana	Simple	Facet	Timeline	Advanced	Full search result		
search and	search			search	display		
display	Х				Х		
features					(More: Relations Line)		
Example	<dcterms:cor< td=""><td>nformsTo> W</td><td>/3C WCAG 2</td><td>.0<td>conformsTo> (for an HTML</td></td></dcterms:cor<>	nformsTo> W	/3C WCAG 2	.0 <td>conformsTo> (for an HTML</td>	conformsTo> (for an HTML		



document that conforms to web content accessibility guidelines).

Element name	Element name: contributor						
Namespace	dc						
URI	http://purl.org	g/dc/terms/co	ntributor				
Label	Contributor						
Definition	An entity res	ponsible for r	naking contri	butions to the	e resource.		
Europeana	The name of	The name of contributors to the original analog or born digital object. This					
note	could be a pe	erson, an org	anisation or a	a service.			
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)						
Europeana search and display features	Simple searchFacetTimelineAdvanced searchFull search result displayX(Creator)X						
Example	<dc:contribut< td=""><td colspan="6"><pre><dc:contributor>Maria Callas</dc:contributor></pre></td></dc:contribut<>	<pre><dc:contributor>Maria Callas</dc:contributor></pre>					

Element name	Element name: country						
Namespace	europeana						
URI	http://www.eu	uropeana.eu/e	se/terms/cou	ntry			
Label	Country						
Definition		This is the name of the country in which the content provider is based or "Europe" in the case of Europe-wide projects.					
Europeana note	The country name is derived automatically from information held in the Europeana content providers authority file. Country names should conform to ISO 3166. (http://www.iso.org/iso/english_country_names_and_code_elements).						
Obligation & Occurrence	Mandatory (Minimum: 1, Maximum: 1)						
Europeana search and display features	Simple searchFacetTimelineAdvanced searchFull search result displayXX (Country)X (Country)						
Example	<europeana:< td=""><td>country>AL<td>uropeana:co</td><td>untry></td><td></td></td></europeana:<>	country>AL <td>uropeana:co</td> <td>untry></td> <td></td>	uropeana:co	untry>			

Element name	Element name: coverage					
Namespace	dc					
URI	http://purl.org/dc/terms/coverage					
Label	Coverage					
Definition	The spatial or temporal topic of the resource, the spatial applicability of the resource, or the jurisdiction under which the resource is relevant. This may be					
	a named place, a location, a spatial coordinate, a period, date, date range or a					



	named administrative entity.						
	Refined by < <u>dcterms:spatial</u> > and < <u>dcterms:temporal</u> >						
Europeana note	Coverage is the unqualified spatial or temporal coverage of the original analog or born digital object. Use of the more specific < <u>dcterms:spatial</u> > and < <u>dcterms:temporal</u> > elements is preferred where possible.						
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	iximum: unbo	ounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display		
display features	Х				X (More: Subject Line)		
Example	<dc:coverage <dc:coverage< td=""><td></td><td>A<td>•</td><td></td></td></dc:coverage<></dc:coverage 		A <td>•</td> <td></td>	•			
Element name	e: created						
Namespace	dcterms						
URI	http://purl.org/dc/terms/created						
Label	Date Created	ł					
Definition	Date of creat	ion of the res	source. Refir	nement of < <u>d</u>	<u>c:date</u> >		
Europeana note	This is the date when the original analog or born digital object was created. The creation date is used to generate the < <u>europeana:year</u> > for use in the timeline where appropriate.						
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)						
Europeana search and	Simple search						
display features	Х				X (More: Date Line)		
Example	<dcterms:created>1564</dcterms:created> <dcterms:created>Iron Age</dcterms:created>						

Element nam	Element name: creator						
Namespace	dc						
URI	http://purl.org/dc/terms/creator						
Label	Creator						
Definition	An entity primarily responsible for making the resource. This may be a person, organisation or a service.						
Europeana note	This is the name of the creator of the original analog or born digital object.						
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)						



		1	1		0		
Europeana	Simple	Facet	Timeline	Advanced	Full search result		
search and	search			search	display		
display	Х			X Creator	Х		
features					(Creator Line)		
Example	<dc:creator></dc:creator>	Shakespeare	e, William <td>creator></td> <td></td>	creator>			
Element name	e: date						
Namespace	dc						
URI	http://purl.org	/dc/terms/da	<u>te</u>				
Label	Date						
	A point or pe	riod of time a	ssociated wit	th an event ir	n the lifecycle of the		
Definition	resource.						
	Refined by: <	< <u>dc:created</u> >	and < <u>dcterm</u>	<u>s:issued</u> >			
	Use for a significant date in the life of the original analog or born digital object						
	(see example).						
Europeana	Use < <u>dcterms:temporal</u> > (or < <u>dc:coverage</u> >) if the date is associated with the						
note	topic of the resource.						
	<pre><dc:date> can be used to generate <<u>europeana:year</u>> for the timeline where</dc:date></pre>						
	appropriate.						
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	iximum: unbo	unded)			
Europeana	Simple	Facet	Timeline	Advanced	Full search result		
search and	search			search	display		
display	Х			(X Date	X		
features					(More: Date Line)		
Example	<dc:date>17th century</dc:date> (For example the date when an object was repaired).						

Element name	Element name: description				
Namespace	dc				
URI	http://purl.o	rg/dc/terms/desc	<u>cription</u>		
Label	Description				
Definition	An account	of the resource.	Refined by: <	dcterms:tableOfCor	ntents>
Europeana note	A descriptio	A description of the original analog or born digital object.			
Obligation & Occurrence	Optional (M	inimum: 0, Maxi	mum: unbound	ded)	
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display X (Description Line)
Example	-	<pre><dc:description>Illustrated guide to airport markings and lighting signals, with particular reference to SMGCS (Surface Movement Guidance and Control</dc:description></pre>			



System) for airports with low visibility conditions.</dc:description>

Element name	Element name: extent					
Namespace	Dcterms					
URI	http://purl.org	g/dc/terms/ex	<u>ttent</u>			
Label	Extent					
Definition	The size or c	luration of the	e resource. F	Refinement o	f < <u>dc:format</u> >.	
Europeana note	Size or duration of the digital object and the original object may be recorded.					
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display X (Format Line)	
Example	<pre><dcterms:extent>13 cm</dcterms:extent> (the width of an original object). <dcterms:extent>34 minutes</dcterms:extent> (the length of an audio file).</pre>					

Element name	e: format				
Namespace	dc				
URI	http://purl.org	/dc/terms/foi	rmat		
Label	Format				
Definition	The file forma Refined by: <		nedium or dir <u>ent</u> > and < <u>dc</u>		
Europeana note	The unqualified element includes file format, physical medium or dimensions of the original and/or digital object. Use this element for the file format of the digital object or born digital originals. Internet Media Types [MIME] are highly recommended (http://www.iana.org/assignments/media-types/). Use of the more specific elements < <u>dcterms:extent</u> > (dimensions) and < <u>dcterms:medium</u> > (physical medium) is preferred where appropriate.				
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display
display features	X				X (Format Line)
Example	<dc:format>ii</dc:format>	mage/jpeg <td>dc:format></td> <td></td> <td></td>	dc:format>		

Element name	e: hasFormat
Namespace	dcterms



URI	http://purl.org	http://purl.org/dc/terms/hasFormat				
Label	Has Format					
Definition	A related resource that is substantially the same as the pre-existing described resource, but in another format. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:isFormatOf</u> >.					
Europeana note	Use < <u>dcterms:hasVersion</u> > for differences in version.					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)					
Europeana search and display features	Simple search X	search search display				
Example	<pre><dcterms:hasformat>http://upload.wikimedia.org/wikipedia/en/f/f3/Europeana _logo.png</dcterms:hasformat> where the resource being described is a tiff image file.</pre>					

Element name	Element name: hasObject				
Namespace	europeana				
URI	http://www.	europeana.eu/es	se/terms/hasO	bject	
Label	Has Object				
Definition	system to u	Indicates the availability of thumbnails of digital objects for the Europeana system to understand and process them. Two values are allowed (False or True). The value corresponds to < <u>europeana:object</u> >.			
Europeana note	-	Europeana supports Image Magick compliant formats such as PDF, JPEG, and TIFF (<u>http://www.imagemagick.org/</u>).			
Obligation & Occurrence	Mandatory	Mandatory (Minimum: 1, Maximum: 1)			
Europeana search and display features	Simple search	Facet	Timeline	Advanced search	Full search result display
Example	<europeana< td=""><td>a:hasObject>Tru</td><td>e</td></europeana<> <td>:hasObject></td> <td></td>	a:hasObject>Tru	e	:hasObject>	

Element nam	Element name: hasPart				
Namespace	dcterms				
URI	http://purl.org/dc/terms/hasPart				
Label	Has Part				
Definition	A related resource that is included either physically or logically in the described resource. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:isPartOf</u> >.				
Europeana					



note						
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				Х	
features					(More: Relation Line)	
Example	<pre><dcterms:haspart> Maps.Crace.1 </dcterms:haspart> The identifier for a map which is part of the Crace Collection of maps.</pre>					

Element name: hasVersion						
Namespace	dcterms	dcterms				
URI	http://purl.o	rg/dc/terms/has	Version			
Label	Has Versio	n				
Definition	resource. C than differe	A related resource that is a version, edition, or adaptation of the described resource. Changes in version imply substantive changes in content rather than differences in format. Refinement of <dc:relation>. See also <dcterms:isversionof>.</dcterms:isversionof></dc:relation>				
Europeana note	Use < <u>dcterms:hasFormat</u> > for differences in format.					
Obligation & Occurrence	Optional (N	linimum: 0, Max	imum: unbour	nded)		
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display X (More: Relation Line)	
Example	<dcterms:hasversion>The Sorcerer's Apprentice</dcterms:hasversion> (translation by Edwin Zeydel, 1955). In this example the 1955 translation is a version of the described resource.					

Element name	Element name: identifier					
Namespace	dc					
URI	http://purl.org/dc/terms/identifier					
Label	Identifier					
Definition	An unambiguous reference to the resource within a given context.					
Europeana note	This is the identifier for the original analog or born digital object. Use < <u>europeana:isShownBy</u> > for the URL of the digital object. If the URL is already included in the < <u>dc:identifier</u> > element in the existing metadata, keep it and repeat the information in < <u>europeana:isShownBy</u> >.					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)					



Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				Х	
features					(More: Identifier Line)	
	<pre><dc:identifier>urn :isbn :9780387097466</dc:identifier></pre>					
Example	<dc:identifier> http://upload.wikimedia.org/wikipedia/en/f/f3/</dc:identifier>					
Europeana_logo.png						

Element name	Element name: isFormatOf					
Namespace	dcterms					
URI	http://purl.org	g/dc/terms/is	FormatOf			
Label	Is Format Of					
Definition	but in anothe	A related resource that is substantially the same as the described resource, but in another format. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:hasFormat</u> >.				
Europeana note						
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				X	
features					(More: Relation Line)	
Example	<pre><dcterms:isformatof> Europeana_logo.tiff</dcterms:isformatof> where the resource being described is a png image file.</pre>					

Element name	Element name: isPartOf					
Namespace	dcterms					
URI	http://purl.o	rg/dc/terms/isF	PartOf			
Label	Is Part Of					
Definition		A related resource in which the described resource is physically or logically included. Refinement of <dc:relation>. See also <dcterms:haspart>.</dcterms:haspart></dc:relation>				
Europeana note	Use for the	name of the c	ollection whic	h the digital c	bject is part of.	
Obligation & Occurrence	Optional (N	Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display	Х				Х	
features					(More: Relation Line)	
Example	<dcterms:is< td=""><td>PartOf>Crace</td><td>Collection of</td><td>Maps of Lon</td><td>don</td></dcterms:is<>	PartOf>Crace	Collection of	Maps of Lon	don	



Element name: isReferencedBy						
Namespace	dcterms					
URI	http://purl.org	g/dc/terms/isl	ReferencedB	Y		
Label	Is Reference	d By				
Definition	resource.	A related resource that references, cites, or otherwise points to the described resource. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:references</u> >.				
Europeana note						
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	aximum: unbo	ounded)		
Europeana search and display	Simple search X	Facet	Timeline	Advanced search	Full search result display X	
features					(More: Relation Line)	
Example	<dcterms:isreferencedby>Till, Nicholas (1994) Mozart and the Enlightenment: Truth, Virtue and Beauty in Mozart's Operas, W. W. Norton & Company </dcterms:isreferencedby>					

Element name	Element name: isReplacedBy					
Namespace	dcterms	dcterms				
URI	http://purl.org	g/dc/terms/isl	ReplacedBy			
Label	Is Replaced	Ву				
Definition	resource.	A related resource that supplants, displaces, or supersedes the described resource. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:replaces</u> >.				
Europeana note						
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	aximum: unbo	ounded)		
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display X (More: Relation Line)	
Example	<pre><dcterms:isreplacedby>http://dublincore.org/about/2009/01/05/bylaws/ where the resource described is an older version (http://dublincore.org/about/2006/01/01/bylaws/)</dcterms:isreplacedby></pre>					

Element name: isRequiredBy			
Namespace	dcterms		
URI	http://purl.org/dc/terms/isRequiredBy		



Label	Is Required By				
Definition	A related resource that requires the described resource to support its function, delivery or coherence. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:requires</u> >.				
Europeana					
note					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result
search and	search			search	display
display	Х				Х
features					(More: Relation Line)
Example	<isrequiredby>http://www.myslides.com/myslideshow.ppt</isrequiredby> where the image being described is required for an online slideshow.				

Element nam	e: isShownA	t			
Namespace	europeana				
URI	http://www.e	uropeana.eu/	/ese/terms/is	ShownAt	
Label	Is Shown At				
Definition	web site in its	An unambiguous URL reference to the digital object on the content provider's web site in its full information context. Refinement of < <u>dc:relation</u> >. See also < <u>europeana:isShownBy</u> >.			
Europeana note	This is a URL that will be active in the Europeana interface. It will lead users to the digital object displayed on the content provider's web site in its full information context. Use <europeana:isshownat> if you display the digital object with extra information (such as header, banner etc).</europeana:isshownat>				
Obligation & Occurrence	Optional (Mir But either is	-	aximum: 1) .isShownBy	is Mandatory	
Europeana search and display features	Simple search	Facet	Timeline	Advanced search	Full search result display X
Example	<europeana: http://www.pl <td>hoto.rmn.fr/cl</td><td></td><td>aspx?E=2C6</td><td>NU0VFLVNY</td></europeana: 	hoto.rmn.fr/cl		aspx?E=2C6	NU0VFLVNY

Element name	Element name: isShownBy					
Namespace	europeana					
URI	http://www.europeana.eu/ese/terms/isShownBy					
Label	Is Shown By					
Definition	An unambiguous URL reference to the digital object on the content provider's web site in the best available resolution/quality.					



	Refinement of < <u>dc:relation</u> >. See also < <u>europeana:isShownAt</u> >.				
	This is a URL that will be active in the Europeana interface. It will lead users to the digital object on the content provider's website where they can view or play it.				
Europeana note	The digital object needs to be directly accessible by the URL and reasonably independent at that location. If the URL includes short copyright information with the pointer to the object it can be entered in <europeana:isshownby>. Use <europeana:isshownat> for digital objects embedded in HTML pages (even where the page is extremely simple).</europeana:isshownat></europeana:isshownby>				
Obligation &	Optional (Mir	nimum: 0, Ma	aximum: 1)		
Occurrence	But either is	ShownBy OF	R isShownAt	is Mandatory	
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display
display					X (Click on the
features					thumbnail leads to the URL)
Example	<europeana:isshownby> http://resolver.kb.nl/resolve?urn=urn:gvn:RA01:30051001524450 </europeana:isshownby>				

Element nam	Element name: issued				
Namespace	dcterms				
URI	http://purl.org	g/dc/terms/iss	sued		
Label	Date Issued				
Definition		Date of formal issuance (e.g., publication) of the resource. Refinement of < <u>dc:date</u> >.			
Europeana note	published. It	The date when the original analog or born digital object was issued or published. It may be used to generate the < <u>europeana:year</u> > for the timeline where this is appropriate.			
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display
display features	X				X (More: Date Line)
Example	<pre><dcterms:iss< pre=""></dcterms:iss<></pre>	ued>1993 <td>dcterms:issue</td> <td>ed></td> <td></td>	dcterms:issue	ed>	

Element name: isVersionOf				
Namespace	dcterms			
URI	http://purl.org/dc/terms/isVersionOf			
Label	Is Version Of			
Definition	A related resource of which the described resource is a version, edition, or			



	adaptation. Changes in version imply substantive changes in content rather than differences in format. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:hasVersion</u> >				
Europeana note					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display X (More: Relations Line)
Example	<dcterms:isv< td=""><td>/ersionOf>ES</td><td>E Version 0.</td><td>5<td>sVersionOf></td></td></dcterms:isv<>	/ersionOf>ES	E Version 0.	5 <td>sVersionOf></td>	sVersionOf>

Element name	Element name: language					
Namespace	dc					
URI	http://purl	http://purl.org/dc/terms/language				
Label	Language	Language				
Definition	A languag	ge of the reso	urce.			
Comment	RFC 4646 conjunctio	The recommended best practice is to use a controlled vocabulary such as RFC 4646 (<u>http://www.rfc-archive.org/getrfc.php?rfc=4646</u>) which, in conjunction with ISO 639, defines two- and three-letter primary language tags. Either a coded value or text string can be represented here.				
	Use this element for the language of text included in images (i.e. posters, newspapers etc). If there is no language aspect to the digital object (e.g. a photograph), please ignore this element.					
Europeana note	Use of RFC 4646 is highly recommended. This element is not for the language of the metadata of a resource, which may be described in xml:lang attribute. For example, <dc:title xml:lang="en">After dark</dc:title> . See < <u>europeana:language</u> >.					
Obligation & Occurrence	Optional (Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display features	Х				X (Language Line)	
Example	<dc:langu< td=""><td>iage>it<td>nguage></td><td></td><td></td></td></dc:langu<>	iage>it <td>nguage></td> <td></td> <td></td>	nguage>			



Element name	Element name: language					
Namespace	europeana					
URI	http://wwww.	europeana.e	u/ese/terms/l	anguage		
Label	Europeana L	.anguage				
Definition	A language a	assigned to th	ne resource v	vith reference	e to the content provider.	
		For the Europeana prototype, <europeana:language> is the official language of the country where a content provider is located</europeana:language>				
Europeana						
note	It is expressed using the ISO 639-1 (the two-character code) (e.g. "en", "de" etc). For countries with several official languages, Europeana uses "mul" for multilingual (ISO 639-2).					
Obligation & Occurrence	Mandatory (N	Mandatory (Minimum:1, Maximum: 1)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display features	X	X Language facet			X (Language Line)	
Example	<europeana:< td=""><td>language>ro</td><td><td>:language></td><td>·</td></td></europeana:<>	language>ro	<td>:language></td> <td>·</td>	:language>	·	

Element name	Element name: medium				
Namespace	dcterms				
URI	http://purl.org	g/dc/terms/me	<u>edium</u>		
Label	Medium				
Definition		The material or physical carrier of the resource. Refinement of < <u>dc:format</u> >.			
Europeana note	This is the m	This is the medium of the original analog or born digital object.			
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)			
Europeana	Simple	Facet	Timeline	Advanced	Full search result
search and	search			search	display
display	Х				Х
features					(Format Line)
Example	<dcterms:me< td=""><td>dium>metal<</td><td></td></dcterms:me<> <td>dium></td> <td></td>	dium>metal<		dium>	

Element name	e: object
Namespace	europeana
URI	http://www.europeana.eu/ese/terms/object
Label	Object
Denninon	An unambiguous URL (not URI) reference to the digital object in the best resolution available on the content provider's web site to generate a thumbnail



	or sample	or sample. This element usually maps to < <u>europeana:isShownBy</u> >.				
	-	< <u>europeana:</u> ł		-		
Europeana	Thumbnail images are generated for display in Europeana from digital objects whose format (such as PDF, JPEG, and TIFF) is compliant with the Image Magick software which is used (<u>http://www.imagemagick.org/</u>). Image Magick needs to have direct access to the image to create a thumbnail; for example it cannot make a thumbnail out of an image embedded in an HTML page.					
note	Europeana creates one thumbnail per record. If a record contains several pages in a PDF, the front page is used to create the thumbnail. If a record contains several image files, the first file that appears is used for the thumbnail. If the digital object is not in the Image Magick compliant format, this element i not mandatory. Where no thumbnail is available, a default thumbnail for the type of object will be displayed.				e thumbnail. If a record ars is used for the pliant format, this element is	
Obligation & Occurrence	Optional (Minimum: 0, atory if applic	Maximum: '			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display features						
Example		na:object>htt /europeana:o	· ·	/ikimedia.org/wił	kipedia/en/f/f3/Europeana_l	

Element name	Element name: provenance					
Namespace	dcterms					
URI	http://purl.org	g/dc/terms/pr	ovenance			
Label	Provenance					
Definition	A statement of any changes in ownership and custody of the resource since its creation that are significant for its authenticity, integrity and interpretation. This may include a description of any changes successive custodians made to the resource.					
Europeana	This relates	This relates to the ownership and custody of the original analog or born digital				
note	object.					
Obligation & Occurrence	Optional (Mi	Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display	Х				X (More: Provenance	
features					Line)	
Example	<pre><dcterms:provenance>Donated by The National Library in 1965</dcterms:provenance></pre>					



Element name	e: provider				
Namespace	europeana				
URI	http://www.eu	uropeana.eu/	/ese/terms/pr	ovider	
Label	Europeana F	rovider			
Definition	Name of the	organization	that deliver of	content to Eu	ropeana.
Europeana note	to Europeana institution wh European pro http://www.vi	Please note that content provider means the organization that sends the data to Europeana and neither the institution that owns the original object nor the institution where the original object is located. In case of aggregator and European project (e.g. Video Active http://www.videoactive.eu/VideoActive/Home.do) <europeana:provider> is the name of aggregator/project.</europeana:provider>			
Obligation & Occurrence	Mandatory (N	Mandatory (Minimum: 1, Maximum: 1)			
Europeana	Simple	Facet	Timeline	Advanced	Full search result
search and	search			search	display
display	Х	Х			X
features		(Provider)			(Provider Line)
Example	<europeana:< td=""><td colspan="3"><europeana:provider>Het Geheugen van Nederland</europeana:provider></td></europeana:<>	<europeana:provider>Het Geheugen van Nederland</europeana:provider>			

Element name	Element name: publisher					
Namespace	dc					
URI	http://purl.org	<mark>/dc/terms/pu</mark>	iblisher			
Label	Publisher					
Definition		An entity responsible for making the resource available. Examples of a publisher include a person, an organisation and a service.				
Europeana note	The name of	The name of the publisher of the original analog or born digital object.				
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				Х	
features					(More: Publisher Line)	
Example	<dc:publishe< td=""><td>r>Oxford Uni</td><td>versity Press</td><td></td></dc:publishe<> <td>er></td>	r>Oxford Uni	versity Press		er>	

Element name: references				
Namespace	dcterms			
URI	http://purl.org/dc/terms/references			
Label	References			
Definition	A related resource that is referenced, cited, or otherwise pointed to by the described resource. Refinement of < <u>dc:relation</u> >.			



	See also < <u>d</u>	See also < <u>dcterms:isReferencedBy</u> >.				
Europeana						
note						
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				Х	
features					(More: Relations Line)	
Example	<dcterms:references>Honderd jaar Noorse schilderkunst </dcterms:references>					

Element name	e: relation				
Namespace	dc				
URI	http://purl.org	g/dc/terms/rel	lation		
Label	Relation				
Definition	A related res using a forma			best practic	e is to identify the resource
Europeana note	This is information about resources that are related to the original analog or born digital object. Refined by: https://www.example.com acom 				

Element name	Element name: replaces				
Namespace	dcterms				
URI	http://purl.org/dc/terms/replaces				
Label	Replaces				
Definition	A related resource that is supplanted, displaced, or superseded by the described resource. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:isReplacedBy</u> >.				
Europeana					



note					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)				
Europeana	Simple	Facet	Timeline	Advanced	Full search result
search and	search			search	display
display	Х				X
features					(More: Relations Line)
	<pre><dcterms:replaces>http://dublincore.org/about/2006/01/01/bylaws/</dcterms:replaces></pre>				
	eplaces> where the resource described is a newer version (http://dublincore.org/about/2009/01/05/bylaws/)				

Element nam	ment name: requires						
Namespace	dcterms						
URI	http://purl.or	rg/dc/terms/r	equires				
Label	Requires						
Definition	function, de	A related resource that is required by the described resource to support its function, delivery or coherence. Refinement of < <u>dc:relation</u> >. See also < <u>dcterms:isRequiredBy</u> >.					
Europeana note							
Obligation & Occurrence	Optional (M	inimum: 0, N	laximum: unb	ounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display		
display	Х				Х		
features					(More: Relations Line)		
Example	<pre><dcterms:requires>http://ads.ahds.ac.uk/project/userinfo/css/oldbrowsers.css </dcterms:requires> where the resource described is a HTML file at http://ads.ahds.ac.uk/project/userinfo/digitalTextArchiving.html</pre>						

Element name	Element name: rights						
Namespace	dc						
URI	http://purl.org	/dc/terms/rig	<u>hts</u>				
Label	Rights						
Definition	Information a	Information about rights held in and over the resource.					
-	Information about intellectual Property Rights, access rights or license arrangements for the digital object (digitized or born digital).						
	arrangement	s for the digit	al object (dig	itized or borr	i digital).		
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	iximum: unbc	ounded)			
Europeana	Simple	Facet	Timeline	Advanced	Full search result		
search and	search			search	display		
display	Х				Х		



features					(Rights Line)
Example	<dc:rights>C</dc:rights>	reative Comr	nons Attributi	ion 3.0 Licens	se

Element name	Element name: source						
Namespace	dc						
URI	http://purl.org	g/dc/terms/so	urce				
Label	Source						
Definition	A related res part.	A related resource from which the described resource is derived in whole or in part.					
Europeana note	This may be used for several sources that are related to the object such as reference sources or the names of content holders. The name of the content provider should be inserted in < <u>europeana:provider</u> >						
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)						
Europeana search and display	Simple search X	Facet	Timeline	Advanced search	Full search result display X		
features					(Source)		
Example	<dc:source>Security Magazine pp 3-12</dc:source> <dc:source>BAM portal</dc:source>						

Element name: spatial						
Namespace	dcterms					
URI	http://purl.org	/dc/terms/sp	atial			
Label	Spatial Cove	rage				
Definition	Spatial chara					
	Refinement of	of < <u>dc:covera</u>	<u>ige</u> >.			
F	Information about the spatial characteristics of the original analog or born					
Europeana			•		epicts in terms of space.	
note	This may be	a named pla	ce, a location	, a spatial co	ordinate or a named	
	administrativ	e entity.				
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)					
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х			Х	Х	
features				Subject	(More: Subject Line)	
Example	<dcterms:spa< td=""><td>atial>Portuga</td><td>l<td>oatial></td><td></td></td></dcterms:spa<>	atial>Portuga	l <td>oatial></td> <td></td>	oatial>		

Element name: subject					
Namespace	dc				
URI	http://purl.org/dc/terms/subject				



Label	Subject					
Definition	The topic of t	the resource				
Europeana note	This is the subject of the original analog or born digital object,					
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)					
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display features	X			X Subject	X (More: Subject Line)	
Example	<dc:subject>submarine</dc:subject>					

Element name	Element name: tableOfContents						
Namespace	dcterms						
URI	http://purl.org	/dc/terms/tal	bleOfContent	<u>:S</u>			
Label	Table Of Cor	ntents					
Definition	A list of subu	nits of the re	source. Ref	inement of <	dc:description>.		
Europeana note	A list of the units within the original analog or born digital resource object.						
Obligation & Occurrence	Optional (Mir	Optional (Minimum: 0, Maximum: unbounded)					
Europeana search and display features	Simple search X	Facet	Timeline	Advanced search	Full search result display		
Example	<pre><dcterms:tableofcontents>Chapter 1. Introduction, Chapter 2. History </dcterms:tableofcontents></pre>						

Element name	Element name: temporal						
Namespace	dcterms						
URI	http://purl.org	g/dc/terms/ter	mporal				
Label	Temporal Co	verage					
Definition		Temporal characteristics of the resource. Refinement of < <u>dc:coverage</u> >					
Europeana note	The tempora may be a pe		-	ginal analog o	or born digital object.	This	
Obligation & Occurrence	Optional (Mir	nimum: 0, Ma	aximum: unbo	ounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display		
display features	Х			X Subject	X (More: Subject)		



Example

<dcterms:temporal>Roman</dcterms:temporal>

Element nam	Element name: title						
Namespace	dc						
URI	http://purl.or	<u>g/dc/terms/ti</u>	<u>tle</u>				
Label	Title						
Definition	U	A name given to the resource. Typically, a Title will be a name by which the resource is formally known. Refined by: < <u>dcterms:alternative</u> >					
Europeana note	The title of the	The title of the original analog or born digital object.					
Obligation & Occurrence	Optional(Mir	nimum: 0, Ma	aximum: unbo	ounded)			
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display		
display	Х			Х	Х		
features				Title	(Title)		
Example	<dc:title>Taa</dc:title>	<dc:title>Taal vitaal</dc:title>					

Element name	e: type					
Namespace	dc					
URI	http://purl.org	g/dc/terms/typ	<u>be</u>			
Label	Туре					
Definition	The nature or genre of the resource. Type includes terms describing general categories, functions, genres, or aggregation levels for content. The recommended best practice is to select a value from a controlled vocabulary (for example, the DC Type vocabulary is available at http://dublincore.org/documents/dcmi-type-vocabulary/).					
Europeana note	The type of the original analog or born digital object as recorded by the content provider, this element typically includes values such as photograph, painting, sculpture etc. Content providers are recommended to map the values found in <dc:type> in their metadata with four material types used in Europeana: TEXT, IMAGE, SOUND and VIDEO. See <europeana:type> below.</europeana:type></dc:type>					
Obligation & Occurrence	Optional (Mir	nimum:0, Ma	ximum: unbo	unded)		
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display	
display features	Х				X (More:Type)	
Example	<pre><dc:type>painting</dc:type> <dc:type>photograph</dc:type> <dc:type>coin</dc:type></pre>					



Element name: type						
Namespace	europeana					
URI	http://www.e	uropeana.eu/	/ese/terms/ty	pe		
Label	Europeana ⁻	Гуре				
Definition	The Europea	ana material t	ype of the re	source.		
Europeana note	All digital objects in Europeana have to be classified as one of the four Europeana material types: TEXT, IMAGE, SOUND or VIDEO. This element is used to create Type facet based on the Europeana material types. A default thumbnail is used in the short or full record display when a thumbnail is not available (see < <u>europeana:object</u> >). Content providers are requested to create a mapping from the local type terminology used in their metadata to the four types used in Europeana. The mapping is typically based on the values in <dc:type>.</dc:type>					
Obligation & Occurrence	Mandatory (Minimum:1, M	1aximum: 1)			
Europeana	Simple	Facet	Timeline	Advanced	Full search result display	
search and	search			search		
display	Х	X		Х	X (More: Type Line)	
features		Type facet		Туре		
Example	<pre><europeana:type>TEXT</europeana:type> (upper-case) <europeana:type> IMAGE</europeana:type> (upper-case) <europeana:type>SOUND</europeana:type> (upper-case) <europeana:type>VIDEO</europeana:type> (upper-case)</pre>					

Element name	Element name: unstored				
Namespace	europeana				
URI	http://www.eu	uropeana.eu/	/ese/terms/ur	nstored	
Label	Unstored				
Definition	This is a container element which includes all relevant information that otherwise cannot be mapped to another element in the ESE.				
Europeana note	The <europeana:unstored> element is provided in order to include important information for indexing purposes. All relevant information elements, which cannot be mapped to another element in the ESE, should be mapped into this element. This element is not available in "full search result display".</europeana:unstored>				
Obligation & Occurrence	Optional (Minimum: 0, Maximum: unbounded)				
Europeana search and display	Simple search X	Facet	Timeline	Advanced search	Full search result display



features				
	<europeana: (Where the N</europeana: 		•	
	other elemen	•	n the object,	

Element name: uri					
Namespace	europeana				
URI	http://www.e	uropeana.eu	/ese/terms/ur	i	
Label	Europeana L	JRI			
Definition	An unambigu	uous URI to t	he resource	within Europe	eana's context.
	This is a record identifier for the object in the Europeana system. It is created based on the unique identifiers provided in the source metadata.				
Europeana					
note	Please note that in cases where a content provider supplies two or more records with the same record identifier, only the first record is kept by				
	Europeana. Subsequent records with the same identifier are discarded.				
Obligation & Occurrence	Mandatory (Minimum: 1, Maximum: 1)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display
display features					
Example	<europeana:uri> http://www.europeana.eu/resolve/record/00401/A7F7E0E6600 </europeana:uri>				

Element name: userTag						
Namespace	europeana	europeana				
URI	http://www.eu	uropeana.eu/	/ese/terms/us	erTag		
Label	User Tag					
Definition	This is a tag	created by a	user through	the Europea	ina interface.	
Europeana	These are tage arouted by registered years					
note	These are tags created by registered users.					
Obligation &	Optional (Minimum:0, Maximum: unbounded)					
Occurrence						
Europeana	Simple	Facet	Timeline	Advanced	Full search result	
search and	search			search	display	
display	Х				Х	
features					(User Tags Display)	
Example	<europeana:usertag>My favorite food!</europeana:usertag>					

Element name: year



Nemeenee					
Namespace	europeana				
URI	http://www.eu	http://www.europeana.eu/ese/terms/year			
Label	Europeana Y	'ear			
Definition	A point of time associated with an event in the life of the original analog or born digital object.				
Europeana note	This is a 4 digit year in the Gregorian calendar (e.g. 1523), which is derived from date values in the source metadata. Typically it is derived from < <u>dc:date</u> >. It is used in the Europeana timeline and the date facet. Objects with no <europeana:year> will not be represented in the Timeline or the date facet.</europeana:year>				
Obligation & Occurrence	Optional (Minimum:0, Maximum: unbounded)				
Europeana search and	Simple search	Facet	Timeline	Advanced search	Full search result display
display	Х	Х	Х	Х	Х
features		Date facet		Date	
Example	<europeana:year>1523</europeana:year>				



5. Document history

Version	Author	Updated	Comments
V0.5	Go Sugimoto	2008-07-04	Draft creation
V2.0	Catherine Lupovici	2008-08-28	Major change to include new elements
V2.5	Go Sugimoto	2008-09-10	Release to enable Europeana community to undertake mappings
V3.0	Go Sugimoto	2008-12-04	Major change to include new elements
V3.1	Go Sugimoto and Kate Fernie	2009-02-25	Public release
V3.2	Go Sugimoto and Catherine Lupovici	2009-08-07	2 nd edition of the public release. Modification of elements and attributes definitions. This is required due to the development of the Portal and content policies. All related documents are now consistent.